



Bringing

HOPE

to patients with depression



Hope is knowing remission from depression is possible

Depression is a serious illness that affects approximately 350 million people worldwide.¹ While medications may help manage symptoms, many patients are not satisfied with the results they get from standard drug therapy. NeuroStar TMS Therapy[®] is a novel approach to achieving remission in depression that is bringing new hope to patients every day.

“I can’t begin to tell you what a difference TMS has made in my life. I am just so much happier.”

- Susan, 58 years old

NeuroStar TMS Therapy for depression

- For patients who have not benefited from prior antidepressant medications
- Free from side effects often associated with antidepressant medications²⁻⁴
- Safe, effective therapy that can be conducted right in the doctor’s office²

Hope with a proven, non-drug therapy

NeuroStar TMS Therapy® uses highly focused magnetic pulses to stimulate areas of the brain that may be underactive in patients with depression.



- Magnetic pulses target key areas of the brain²
- Technology is similar to that of magnetic resonance imaging (MRI)
- Each in-office treatment takes 37 minutes
- Patients receive therapy 5 days a week, for 4 to 6 weeks
- During treatment, patients are awake and alert; they can go back to their normal activities immediately afterward

NeuroStar TMS Therapy[®] is safe and effective

Many patients experience
significant benefits⁵

- 1 in 2 patients improved significantly
 - 1 in 3 patients were free of depression symptoms
 - Durable symptom relief over 12 months
-

“Seven months ago, I was so depressed I wasn't able to function. After six weeks of NeuroStar TMS Therapy, I was back to work; I was feeling great; I was enjoying my kids again and I had my life back.”

- Craig, 38 years old

Demonstrated track record of experience

- FDA cleared since 2008 for the treatment of patients with major depression who failed to benefit from antidepressant medication
- Clinically proven in multiple trials with 800 depression patients⁵⁻⁷
- Over 18,000 patients treated⁴
- Nearly 600 NeuroStar physicians provide therapy worldwide

Is NeuroStar TMS Therapy[®] right for you?

If you answer agree to any of these questions, ask your doctor about NeuroStar TMS Therapy.

- Depression symptoms have interfered with my daily life.

Agree **Disagree**

- I am not satisfied with the results I get from depression medication.

Agree **Disagree**

- I have had, or have worried about, side effects from depression medication.

Agree **Disagree**

- I am interested in a proven, non-drug therapy for depression.

Agree **Disagree**

Remission from depression is possible.

Talk to a NeuroStar physician today.

Indication

NeuroStar TMS Therapy® is indicated for the treatment of Major Depressive Disorder in adult patients who have failed to receive satisfactory improvement from prior antidepressant medication in the current episode.

A doctor can help decide if NeuroStar TMS Therapy is right for you.

Important Safety Information

NeuroStar TMS Therapy should not be used with patients who have non-removable conductive metal in or near the head.

The most common side effect is pain or discomfort at or near the treatment site. There is a rare risk of seizure associated with the use of TMS. You should talk with a NeuroStar physician to determine if TMS Therapy may be right for you.

In a randomized controlled trial, patients receiving active NeuroStar TMS Therapy were four times more likely to achieve remission compared to patients receiving sham treatment ($P = 0.0173$; odds ratio = 4.05).⁸

References:

1. World Health Organization. Depression fact sheet No.369. <http://www.who.int/mediacentre/factsheets/fs369/en/index.html>. Accessed February 27, 2013.
2. NeuroStar Prescribing Information.
3. Janicak PG, et al. (2008) *J Clin Psychiatry*, 69(2):222-232.
4. Data on file. Neuronetics, Inc.
5. Carpenter LL, et al. (2012) *Depress Anxiety*, 29(7):587-596.
6. O'Reardon JP, et al. (2007) *Biol Psychiatry*, 62(11):1208-1216.
7. George MS, et al. (2010) *Arch Gen Psychiatry*, 67(5):507-516.
8. Demitrack MA, Thase ME. (2009) *Psychopharmacol Bull*, 42(2):5-38.

NeuroStar.com

TheDepressionHopeCenter.com

